



**Federal Aviation
Administration**

Initial En Route Qualification Training

**Lesson 11
Route Assignments
End-of-Lesson Test**

Course 05148001

Intentionally left blank

Initial En Route Training

Lesson 11

Route Assignments

End-of-Lesson Test – Variation 1

Lesson Objectives:

On an End-of-Lesson Test and in accordance with FAA Order JO 7110.65, you will identify:

- Clearance and route assignment procedures for IFR aircraft
 - Phraseology for issuing selected clearances
 - Fixed radial distance locations
-

DIRECTIONS: Items 1 through 7 are multiple choice. Indicate your selection by circling the appropriate letter.

1. The term “ATC” should be included in clearances relayed through a(n) _____.
 - A. airline dispatcher
 - B. VFR tower
 - C. adjacent ARTCC
 - D. approach control
2. Which of the following is an Area Navigation (RNAV) route published for use in the United States?
 - A. Q route
 - B. jet route
 - C. fixed area route
 - D. N route

ROUTE ASSIGNMENT
End-of-Lesson Test - Variation 1 *(Continued)*

3. Which of the following are among the terms in which fixes or waypoints are defined?
 - A. Vector
 - B. Assigned altitude
 - C. Degree-distance from NAVAIDs
 - D. Bearing

4. The phraseology to reroute an aircraft via Victor Five New Hope without changing the remainder of the route is _____.
 - A. "Cleared via Victor Five New Hope, as filed"
 - B. "Cleared via Victor Five then as filed to New Hope"
 - C. "Cleared via Victor Five New Hope, rest of route unchanged"
 - D. "Cleared on Victor Five New Hope, rest of route as filed"

5. When the assigned altitude in a previously issued clearance is amended, the controller must restate the _____.
 - A. applicable altitude restrictions
 - B. altitude twice
 - C. assigned altitude
 - D. full clearance

6. When making route assignments, use airways and routes consistent with the _____.
 - A. Victor airway structure
 - B. altitude stratum being used
 - C. jet route structure
 - D. departure runway

ROUTE ASSIGNMENT
End-of-Lesson Test - Variation 1 *(Continued)*

7. The correct phraseology for issuing a clearance to an aircraft utilizing an airway above/below its route structure is _____.
- A. “via the radials of Victor 9”
 - B. “fly the radials of Victor 9”
 - C. “via the Victor 9 radials”
 - D. “fly the Victor 9 radials”